05/23/05 14:36 FAX 919 654 4521

application:

Withrow & Terranova

→ USPTO Ctrl Fax

Professional Limited Liability Company

MAY 2 3 2805

Attorneys At Law Registered Patent Attorneys

A High Technology Patent Practice

DATE: 5/23/2005 TOTAL NO. OF PAGES INCLUDING COVER: 14 SENDER'S REPERENCE NUMBER:
14
SENDER'S REFERENCE NUMBER:
2500-040
YOUR REFERENCE NUMBER: 10/684,258
ENT PLEASE REPLY ORIGINAL TO FOLLOW

Attached please find the following document related to the above-referenced

1) Response to the Office Action mailed May 5, 2005 (13 pages)

NOTE: The information contained in this transmission is privileged and confidential and intended ONLY for the individual or entity named above. If you should receive this transmission in error, please notify our office and return to the below address via the U.S. Postal Service.

201 SHANNON OAKS CIRCLE, SUITE 200

CARY, NC 27511 PH: (919) 654-4520 FAX: (919) 654-4521

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Donald Reichler et al.

Examiner: Raymond, Edward

Art Unit: 2857 Serial No. 10/684,258

Filed: 10/11/2003

For: METHOD AND SYSTEM FOR DETERMINING AND MONITORING THE DISPENSING EFFICIENCY OF A FUEL DISPENSING POINT IN A SERVICE

STATION ENVIRONMENT

Mail Stop Amendment Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Sir:

RESPONSE TO FIRST OFFICE ACTION MAILED ON MAY 5, 2005

Applicant herein files this response to the first Office Action issued by the United States Patent and Trademark Office (PTO) on May 5, 2005. Applicant adds new claims 43-60, but cancels claims 1-18, 37-39, and 41. Thus, no additional claims fees are required to be provided with this response.

If any fees are required in association with this response, the Director is hereby authorized to charge them to Deposit Account 50-1732, and consider this a petition therefor.